

Super SQV Return Set

Part Number: 71002-AN002

This item is exclusively for P/N 71004-AN014 & 71004-AN020, 71007-AN014 & 71007-AN020
71008-AN014 & 71008-AN020

(Installation to Nissan Stagea has not been confirmed.)

Parts List

Return Hose	1	Hose Clamp #16	2
4mm Hose	1	Tie Wrap	5
Installation Manual (Japanese) ..	1	Installation Manual (English)	1


※ Manual Number: E04533-N47020-00

Published in November 20, 2020 by HKS Co., Ltd. (Unauthorized reproduction is strictly prohibited.)

Installation of SSQV Return Kit



For ECR33 & ER34

1. Install the Return Fitting to the SSQV assembly referring to the SSQV installation manual.
2. Remove the inlet tube; then, remove the air tube. (Dia.1)




For ECR33

- Cut off the provided Return Hose and the removed air tube as shown in the Diagrams below. The portion (position) to cut may vary depending on the vehicle. Adjust the cut portion or position appropriate for the vehicle. (Dia.2, Dia.3)




- Reinstall the cut air tube to the vehicle, and install the kit parts. (Dia.4, Dia.5)
- Reinstall the removed parts.


For ER34





3. Remove the SSQV assembly.
4. Disconnect the 4mm hose in Diagram 6, and replace it with the provided 4mm hose. When installing the provided 4mm hose, cut the hose to the appropriate length to prevent unnecessary contact with the SSQV assembly. (Dia.6)



5. Install the SSQV assembly referring to the SSQV installation manual. The installed direction of the SSQV assembly is opposite of the direction in the installation manual.



6. Cut off the provided Return Hose and the removed air tube as shown in the Diagrams below. The portion (position) to cut may vary depending on the vehicle. Adjust the cut portion or position appropriate for the vehicle. (Dia.8, Dia.9)



7. Reinstall the cut air tube to the vehicle, and install the kit parts. (Dia.10, Dia.11)
 8. Reinstall the removed parts.

